NSN 5935-01-260-1395

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-260-1395 **Thread Class:** 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 33.66 millimeters **Overall Height:** 42.9 millimeters **Overall Width:** 42.9 millimeters Center To Center Distance Between Mounting Facilities Parallel To Height: 31.75 millimeters Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 31.75 millimeters and 34.93 millimeters **Distance From Mounting Shoulder To Front Face:** 20.1 millimeters **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 80.0 and 142.0 and 196.0 and 293.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell **End Application:** 4920-01-150-2037 analyzer unit, jet engine Thready Qty Per Inch (tpi): 10 **Thread Size:** 34.0 millimeters and 1.500 inches **Thread Pitch In Millimeters:** 1.00 **Shell Material:**

Stainless steel

Shell Surface Treatment:

Passivate

NSN 5935-01-260-1395

Electrical Receptacle Connector Body - Page 2 of 2



Thread Tolerance Class:
6g external
Special Features:
Mounting slot width 3.91 millimeters
Test Data Document:
81349-dod-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Iso m and special acme
Specification Data:
81349-dod-c-38999/20 government specification
Shelf Life:

Unit Of Measure:

N/a

Demilitarization: No

Fiig:

A039b0