NSN 5935-01-261-8398

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-261-8398

Thread Class:		
2b		
Thread Direction:		
Right-hand		
Body Style:		
Straight edge type w/mounting flange		
Overall Length:		
3.875 inches		
Overall Height:		
0.726 inches		
Overall Width:		
Between 0.333 inches and 0.353 inches		
Environmental Protection:		
Humidity resistant and shock proof and thermal shock resistant and vibration resistant		
Distance Between Mounting Facility Centers:		
Between 3.398 inches and 3.414 inches		
Board Accommodated Length:		
2.966 inches single board and 2.978 inches single board		
Threaded Device Type:		
Mounting hole		
Board Accommodated Width:		
Between 0.054 inches and 0.071 inches		
Mating End Quantity:		
1		
Contact Position Arrangement Style:		
Bridged contacts inserted board single mating end		
Contact Removability:		
Nonremovable single mating end single contact grouping		
Polarization Method:		
Inter-contact polarizing keys		
Thread Size:		
0.112 inches		
Terminal Location:		
Back single mating end single contact grouping		
Contact Material:		
Copper alloy single mating end single contact grouping		
Contact Surface Treatment:		
Gold single mating end single contact grouping and copper single mating end single contact grouping		
Insert Material:		
Plastic diallyl phthalate single mating end		
Terminal Type:		

Terminal Type

Solder well single mating end single contact grouping

NSN 5935-01-261-8398

Electrical Receptacle Connector - Page 2 of 2



ncluded	Contact	Quantity:
---------	---------	-----------

112 single mating end single contact grouping

Included Contact Type:

Hermaphrodite single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Test Data Document:

81349-mil-c-21097 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0