NSN 5935-01-262-0370

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-262-0370 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, rectangular **Overall Length:** 1.733 inches **Overall Height:** 1.350 inches **Overall Width:** 2.420 inches **Environmental Protection:** Humidity resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.149 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.812 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.045 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 80 single mating end **Polarization Method:** Polarization boss **Connector Locking Method:** Jackscrew Thread Length: 0.250 inches Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Insert Material:** Plastic diallyl phthalate single mating end and glass fiber single mating end **Insert Material Specification:** Mil-m-14, type sdg-f military specification all material responses single mating end or mil-p-19833, type gdi-30f military specification all

Test Data Document:

material responses single mating end

81349-mil-c-28748 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain comportal and parformance requirements and test conditions that are aboung as "typical" "average" "" ata)

NSN 5935-01-262-0370

Electrical Receptacle Connector Body - Page 2 of 2



Thread Series Designator:
Unf
Specification Data:
81349-mil-c-28748/10 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-m-14 spec.