NSN 5935-01-262-9713

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-262-9713

Body Style:
Straight type
Overall Length:
3.426 inches
Overall Height:
0.654 inches
Overall Width:
0.355 inches
Environmental Protection:
Shock resistant and vibration resistant and corrosion resistant and humidity resistant
Unthreaded Mounting Hole Diameter:
0.097 inches
Distance Between Mounting Facility Centers:
3.240 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
92 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end and glass fiber single mating end or plastic polyester single mating end and glass fiber single
mating end
Contact Surface Treatment Specification:
Mil-a-45204 type 2 class 1 grade c military specification 1st treatment response single mating end single contact grouping and gg-n-290

Terminal Type:

Tab, solder lug single mating end single contact grouping

Contact Material Specification:

material response single mating end single contact grouping or qq-c-530 federal specification single material response single mating end single contact grouping or qq-w-321 federal specification single material response single mating end single contact grouping

2 federal specification 2nd treatment response single mating end single contact grouping

Qq-b-626 federal specification single material response single mating end single contact grouping or qq-b-750 federal specification single

NSN 5935-01-262-9713

Electrical Receptacle Connector - Page 2 of 2



Unable To Decode: Unable to decode and unable to decode **Included Contact Quantity:** 92 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.092 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** Demilitarization: No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.