NSN 5935-01-266-7833

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-266-7833

Body Style:
Straight type
Overall Length:
4.500 inches
Overall Height:
0.672 inches
Overall Width:
0.375 inches
Environmental Protection:
Shock resistant and vibration resistant and corrosion resistant and humidity resistant and fungus resistant
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
3.800 inches
Mating End Quantity:
1
Contact Removability:
Removable single mating end 1st contact grouping
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Terminal Location:
Back single mating end all contact groupings
Contact Material:
Copper alloy single mating end all contact groupings
Contact Surface Treatment:
Gold single mating end all contact groupings and nickel single mating end all contact groupings and copper single mating end all contact
groupings
Insert Material:
Glass single mating end and plastic diallyl phthalate single mating end or plastic polyphenylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, gr c, cl 1 military specification 1st treatment response single mating end all contact groupings and qq-n-290, cl 2 federa
specification 2nd treatment response single mating end all contact groupings and mil-c-14550 military specification 3rd treatment response
single mating end all contact groupings
Criticality Code Justification:
Feat
Terminal Type:
Solder well single mating end 2nd contact grouping

D shape pin left-hand at 12 oclock and d shape socket right-hand at 12 oclock

Contact Material Specification:

Qq-c-530 federal specification single material response single mating end all contact groupings and qq-b-750 federal specification single material response single mating end all contact groupings

Guide Design And Location:

NSN 5935-01-266-7833

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Round socket single mating end 2nd contact grouping **Special Features:** Contact number 15 is omitted **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.049 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.