## NSN 5935-01-268-1860

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-268-1860 **Body Style:** Straight shape, external coupling **Overall Length:** 0.944 inches **Overall Height:** 1.438 inches **Overall Width:** 1.438 inches **Unthreaded Mounting Hole Diameter:** Between 0.123 inches and 0.138 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.156 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.156 inches **Distance From Mounting Shoulder To Front Face:** Between 0.627 inches and 0.632 inches **Mating End Quantity:** 12 **Polarization Method:** Keyway or multiple keyway and key, multiple key groove **Insert Position In Deg:** 342.0 and 330.0 and 30.0 and 18.0 **Shell Type:** Solid **Connector Locking Method:** Bayonet pin **Shell Material:** Aluminum alloy or zinc **Shell Surface Treatment:** Cadmium and chromate or nickel **Shell Surface Treatment Specification:** Qq-p-416 ty ii, cl 3 federal specification single treatment response **Test Data Document:** 81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 96906-ms27496 government standard Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5935-01-268-1860

Electrical Receptacle Connector Body - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-c-38999 spec.