## NSN 5935-01-269-7188

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-269-7188 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight type **Overall Length:** 1.560 inches **Overall Width:** 0.297 inches **Body Height:** 1.002 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 1.0 single mating end single contact grouping **Connector Locking Method:** Latch Thready Qty Per Inch (tpi): 56 **Thread Size:** 0.086 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Nickel single mating end single contact grouping and gold single mating end single contact grouping **Insert Material:** Plastic single mating end and glass single mating end **Terminal Type:** Wire wrap single mating end single contact grouping **Included Contact Quantity:** 

16 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

## NSN 5935-01-269-7188

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.016 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0