Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-269-8205

### Body Style:

Straight edge type w/mounting flange

### **Overall Length:**

3.690 inches

# **Overall Height:**

1.228 inches

### **Overall Width:**

0.440 inches

#### **Environmental Protection:**

Heat resistant and cold resistant and humidity resistant

### **Unthreaded Mounting Hole Diameter:**

#### 0.130 inches

**Distance Between Mounting Facility Centers:** 

3.400 inches

#### **Board Accommodated Length:**

2.900 inches single board

### **Board Accommodated Width:**

Between 0.054 inches and 0.070 inches

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

2 rows of independent contacts inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

#### **Connector Locking Method:**

Friction

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

# **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

# Insert Material:

Plastic polyester single mating end and glass fiber single mating end

# Contact Surface Treatment Specification:

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and qq-n-290 federal specification 2nd

treatment response single mating end single contact grouping

# **Terminal Type:**

Pin single mating end single contact grouping

# **Contact Material Specification:**

Qq-b-750 federal specification single material response single mating end single contact grouping



Included Contact Quantity:

28 single mating end single contact grouping

### Included Contact Type:

Leaf spring single mating end single contact grouping

# **Precious Material And Location:**

Contact surfaces gold

# **Precious Material And Weight:**

0.028 gold grains, troy

## **Precious Material:**

Gold

Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.