## NSN 5935-01-270-0924

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-270-0924	
Thread Class:	
2b	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, flush mount	
Overall Length:	
2.201 inches	
Overall Height:	
Between 3.060 inches and 3.090 inches	
Overall Width:	
2.015 inches	
Environmental Protection:	
Heat resistant and cold resistant	
Unthreaded Mounting Hole Diameter:	
0.120 inches	
Center To Center Distance Between Mounting Facilities Parallel To Height:	
2.783 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
1.437 inches	
Distance From Mounting Shoulder To Front Face:	
Between 0.055 inches and 0.065 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
2	
Contact Position Arrangement Style:	
8 2nd mating end	
Contact Removability:	
Removable 1st mating end single contact grouping	
Polarization Method:	
Guide pin/socket	
Shell Type:	
Solid	
Connector Locking Method:	
Screw	
Thready Qty Per Inch (tpi):	
40	
Thread Size:	
0.112 inches	
Terminal Location:	

Tommar Location

Back 1st mating end single contact grouping

## NSN 5935-01-270-0924

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy 1st mating end single contact grouping
Contact Surface Treatment:
Gold 1st mating end single contact grouping
Insert Material:
Plastic phenolic all mating ends
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response 1st mating end single contact grouping
Terminal Type:

Crimp 1st mating end single contact grouping

**Contact Material Specification:** 

Qq-c-533 federal specification single material response 1st mating end single contact grouping

**Guide Design And Location:** 

D shape pin right-hand at 5 oclock

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

Cadmium and chromate

**Shell Surface Treatment Specification:** 

Qq-p-416, type 2, class 3 federal specification all treatment responses

**Shell Material Specification:** 

Qq-a-591/a380 federal specification single material response

**Insert Material Specification:** 

Mil-m-14, type gdi-30f military specification single material response all mating ends

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.106 gold grains, troy

**Precious Material:** 

Gold

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.