Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-270-9550

## Body Style:

Straight shape, external coupling

#### **Overall Length:**

1.100 inches

## **Overall Height:**

1.562 inches

#### **Overall Width:**

1.562 inches

#### **Unthreaded Mounting Hole Diameter:**

Between 0.123 inches and 0.138 inches

## Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 1.250 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

#### Distance From Mounting Shoulder To Front Face:

Between 0.785 inches and 0.790 inches

#### Mating End Quantity:

1

## **Contact Position Arrangement Style:**

21-11 single mating end

#### **Contact Removability:**

Removable single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

#### **Insert Position In Deg:**

0.0

#### Shell Type:

Solid

#### **Connector Locking Method:**

Bayonet pin

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

#### **Contact Surface Treatment Specification:**

Mil-g-45204 federal specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Crimp single mating end single contact grouping

## Shell Material:

Aluminum alloy

Electrical Receptacle Connector - Page 2 of 2



#### Shell Surface Treatment:

Passivate

#### **Included Contact Quantity:**

11 single mating end single contact grouping

#### Included Contact Type:

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.011 gold grains, troy

#### **Precious Material:**

Gold

## **Test Data Document:**

81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

96906-ms27505 government specification

## Shelf Life:

N/a

## Unit Of Measure:

---

# Demilitarization:

No

# Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.