NSN 5935-01-274-7000

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-274-7000

Body Style:
Straight type
Overall Length:
6.220 inches
Overall Height:
0.522 inches
Overall Width:
0.366 inches
Environmental Protection:
Vibration resistant and shock resistant and heat resistant and cold resistant and humidity resistant and pressure proof
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
5.900 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy 172 single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping and copper single mating end single
contact grouping
Insert Material:
Plastic diallyl phthalate single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type ii, grade c, class 1 military specification 1st treatment response single mating end single contact grouping and mil-p-27418
military specification 2nd treatment response single mating end single contact grouping and mil-c-14550, class x military specification 3rd
treatment response single mating end single contact grouping
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-14, type sdg-f military specification all material responses single mating end

Pound coaket single mating and single contact grouping

160 single mating end single contact grouping

Included Contact Quantity:

Included Contact Type:

NSN 5935-01-274-7000

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Three mounting holes
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.160 gold grains, troy
Precious Material:
Gold
Specification Data:
81755-c10170 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.