Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-275-2976

Body Style:	
Right angle type	
Overall Length:	
0.125 inches	
Overall Width:	
0.200 inches	
Body Height:	
Between 0.115 inches and 0.135 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
2 rows of contacts non-inserted board single mating end	
Contact Removability:	
Nonremovable single mating end 1st contact grouping	
Contact Maximum Current Rating In Amps:	
1.0 single mating end 1st contact grouping	
Polarization Method:	
Mating end	
Connector Locking Method:	
Friction	
Terminal Location:	
Side single mating end 1st contact grouping	
Contact Material:	
Copper alloy single mating end 1st contact grouping	
Contact Surface Treatment:	
Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping	
Insert Material:	
Plastic polyethylene single mating end	
Contact Surface Treatment Specification:	
Mil-g-45204 military specification 1st treatment response single mating end 1st contact grouping and qq-n-290 federal specification 2r	nd
treatment response single mating end 1st contact grouping	
Criticality Code Justification:	
Feat	
Terminal Type:	
Tab, solder lug single mating end 1st contact grouping	
Contact Material Specification:	
Qq-b-750 federal specification single material response single mating end 1st contact grouping	
Included Contact Quantity:	
4 single mating end 1st contact grouping	
Included Contact Type:	
Round socket single mating end 1st contact grouping	
Special Features:	
Polarizing pin in position 3	



Precious Material And Location: Contact surfaces gold **Precious Material And Weight:** 0.004 gold grains, troy **Precious Material:** Gold **Specification Data:** 73030-791723 manufacturers specification control Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.
