NSN 5935-01-276-8090

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-276-8090

| Body Style: |
|--|
| Straight shape |
| Overall Length: |
| 1.541 inches |
| Overall Height: |
| 1.006 inches |
| Overall Width: |
| 0.494 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.154 inches |
| Distance Between Mounting Facility Centers: |
| 1.312 inches |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 15 single mating end |
| Contact Removability: |
| Removable single mating end single contact grouping |
| Polarization Method: |
| Mating end |
| Shell Type: |
| Solid |
| Connector Locking Method: |
| Friction |
| Terminal Location: |
| Back single mating end single contact grouping |
| Contact Material: |
| Copper alloy single mating end single contact grouping |
| Contact Surface Treatment: |
| Gold single mating end single contact grouping and copper single mating end single contact grouping |
| Insert Material: |
| Glass fiber single mating end and plastic diallyl phthalate single mating end |
| Contact Surface Treatment Specification: |
| Mil-g-45204, type 2, cl 1 military specification 1st treatment response single mating end single contact grouping and mil-c-14550 military |
| specification 2nd treatment response single mating end single contact grouping |
| Terminal Type: |
| Crimp single mating end single contact grouping |
| Shell Material: |
| Steel |
| Shell Surface Treatment: |
| Cadmium |

Qq-p-416 federal specification single treatment response

Shell Surface Treatment Specification:

NSN 5935-01-276-8090

Electrical Receptacle Connector - Page 2 of 2



Shell Material Specification:

Astm a620 assn standard single material response

Insert Material Specification:

Mil-m-14, ty sdg-f or gdi-30f military specification all material responses single mating end

Included Contact Quantity:

15 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.015 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.