## NSN 5935-01-276-8911

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-276-8911 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape quick connect **Overall Length:** 0.670 inches **Overall Width:** 0.250 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Smb all mating ends **Contact Removability:** Nonremovable all mating ends single contact grouping **Shell Type:** Solid **Connector Locking Method:** Spring friction Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Contact Material:** Copper alloy all mating ends single contact grouping **Contact Surface Treatment:** Gold all mating ends single contact grouping **Insert Material:** Plastic fluorocarbon all mating ends **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response all mating ends single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold

----

**Shell Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response

**Included Contact Quantity:** 

1 2nd mating end single contact grouping

## NSN 5935-01-276-8911

Connector Adapter - Page 2 of 2



Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Coaxial pin all mating ends single contact grouping
Precious Material And Location:
Contact and shell surfaces gold
Precious Material And Weight:
0.110 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.