

View Online at <https://aerobasegroup.com/nsn/5935-01-276-9938>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Angle shape, w/o cable clamp

Overall Diameter:

1.575 inches

Body Angle In Deg:

90.0

Environmental Protection:

Humidity resistant and heat resistant and cold resistant and salt water resistant and fungus resistant

Threaded Device Type:

Back shell

Mating End Quantity:

1

Contact Removability:

Nonremovable single mating end all contact groupings

Shell Type:

Solid

Connector Locking Method:

Detent

Distance From Centerline To Cable End:

1.250 inches

Thready Qty Per Inch (tpi):

24

Thread Size:

0.687 inches

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Stainless steel single mating end all contact groupings

Contact Surface Treatment:

Passivate single mating end all contact groupings

Insert Material:

Plastic single mating end

Contact Surface Treatment Specification:

Qq-p-35 federal specification single treatment response single mating end all contact groupings

Terminal Type:

Solder well single mating end all contact groupings

Contact Material Specification:

Astm-a-582-80 assn standard single material response single mating end all contact groupings

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Anodize

Shell Surface Treatment Specification:

Mil-a-8625, type 3, cl 2 military specification single treatment response

Shell Material Specification:

Qq-a-200/8 federal specification single material response

Insert Material Specification:

L-p-410 federal specification single material response single mating end

Included Contact Quantity:

1 single mating end 2nd contact grouping

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-a-8625 spec.