Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-277-9520

# Body Style: Straight shape Overall Length: Between 1.586 inches and 1.606 inches Overall Height:

0.585 inches

## **Overall Width:**

Between 0.114 inches and 0.134 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

1 row of contacts non-inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## **Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

#### **Polarization Method:**

Guide pin/socket

#### **Connector Locking Method:**

Friction

## Terminal Location:

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

## **Contact Surface Treatment:**

Gold and nickel single mating end single contact grouping

## **Insert Material:**

Plastic phenolic mineral filled single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204 military specification 1st treatment response and qq-n-290 military specification 2nd treatment response single mating end single contact grouping

## **Terminal Type:**

Solder well single mating end single contact grouping

## **Contact Material Specification:**

Qq-c-530 federal specification single material response single mating end single contact grouping

## Insert Material Specification:

Mil-m-14, type mfh military specification single material response single mating end

# Included Contact Quantity:

15 single mating end single contact grouping

# Included Contact Type:

Round socket single mating end single contact grouping

# Special Features:

Guide pin in number eight contact position

Electrical Plug Connector - Page 2 of 2



Precious Material And Location:

Contact surfaces gold

**Precious Material And Weight:** 

0.015 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.