NSN 5935-01-278-8192

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-278-8192

Body Style: Right angle type **Overall Length:** Between 4.290 inches and 4.310 inches **Overall Height:** 0.670 inches **Overall Width:** 0.490 inches **Environmental Protection:** Humidity resistant and salt water resistant and sand resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.095 inches and 0.101 inches **Distance Between Mounting Facility Centers:** Between 3.090 inches and 4.110 inches **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Guide pin/socket Shell Type: Solid **Connector Locking Method:** Friction **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and nickel single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end **Contact Surface Treatment Specification:** Mil-g-45204, type 2, class 1, grade c military specification 1st treatment response single mating end single contact grouping and qq-n-290, class 1 federal specification 2nd treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Guide Design And Location:**

D shape pin right-hand at 6 oclock

Shell Material:

Aluminum alloy 6063 or aluminum alloy 6061

Shell Surface Treatment:

Chromate

NSN 5935-01-278-8192

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment Specification:

Mil-c-5541 military specification single treatment response

Shell Material Specification:

Qq-a-200/9 federal specification 1st material response or qq-a-250/11 federal specification 2nd material response

Included Contact Quantity:

114 single mating end single contact grouping

Included Contact Type:

Flat pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.114 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.