NSN 5935-01-279-4857

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-279-4857

Body Style:
Straight type
Overall Length:
6.495 inches
Overall Height:
0.728 inches
Overall Width:
0.490 inches
Unthreaded Mounting Hole Diameter:
Between 0.122 inches and 0.127 inches
Distance Between Mounting Facility Centers:
6.175 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Inter-contact polarizing keys
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Glass single mating end and plastic single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Solder stud single mating end single contact grouping
Contact Material Specification:

Qq-b-626 federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-p-46161, grade b, cl 15 military specification all material responses single mating end

Included Contact Quantity:

156 single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

NSN 5935-01-279-4857

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.156 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.