Electrical Plug Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-279-8021

Т	hread Class:
28	a
T	hread Direction:
R	ight-hand
в	ody Style:
S	traight shape, internal coupling
0	verall Length:
1.	234 inches
0	verall Diameter:
1.	891 inches
T	hreaded Device Type:
B	ack shell
Μ	ating End Quantity:
1	
С	ontact Position Arrangement Style:
2	5-29 single mating end
Ρ	olarization Method:
K	eyway or multiple keyway
In	isert Position In Deg:
1(00.0 and 128.0 and 228.0 and 265.0 and 345.0
S	hell Type:
S	olid
С	onnector Locking Method:
В	ayonet slot
Ε	nd Application:
С	ommunications control center an/tsq-111
T	hread Length:
0.	219 inches
T	hready Qty Per Inch (tpi):
18	8
T	hread Size:
1.	438 inches
S	hell Material:
A	luminum alloy
S	hell Surface Treatment:
С	admium
S	hell Surface Treatment Specification:
Q	q-p-416 federal specification single treatment response
T	est Data Document:
8	1349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
fo	rmat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
0	nvironmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unef



Specification Data:

96906-ms27467 government standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-c-38999 spec.