# NSN 5935-01-281-8150

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/psn/5035-01-281-8150

view Online at https://aerobasegroup.com/nsn/5955-01-261-6150
Body Style:
Straight shape
Overall Length:
Between 2.620 inches and 2.650 inches
Overall Height:
0.683 inches
Overall Width:
Between 0.590 inches and 0.620 inches
Unthreaded Mounting Hole Diameter:
0.154 inches
Distance Between Mounting Facility Centers:
Between 2.401 inches and 2.411 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
43w2 single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end 1st contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end 1st contact grouping
Contact Material:
Copper alloy single mating end 1st contact grouping
Contact Surface Treatment:
Gold single mating end 1st contact grouping and copper single mating end 1st contact grouping
Insert Material:
Glass single mating end and plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, gr c, class 1 military specification 1st treatment response single mating end 1st contact grouping and mil-c-14550
military specification 2nd treatment response single mating end 1st contact grouping
Terminal Type:
Solder well single mating end 1st contact grouping
Shell Material:

Steel

**Shell Surface Treatment:** 

Cadmium and chromate

# NSN 5935-01-281-8150

Electrical Receptacle Connector - Page 2 of 2



## **Shell Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification all treatment responses

# **Shell Material Specification:**

Astm a-620 assn standard single material response

# **Insert Material Specification:**

Mil-m-14, ty sdg-f military specification all material responses single mating end

# **Included Contact Quantity:**

41 single mating end 1st contact grouping

## **Included Contact Type:**

Round socket single mating end 1st contact grouping

### **Precious Material And Location:**

Contact surfaces gold

## **Precious Material And Weight:**

0.041 gold grains, troy

#### **Precious Material:**

Gold

#### Shelf Life:

N/a

### **Unit Of Measure:**

--

### **Demilitarization:**

No

# Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.