## NSN 5935-01-285-1081

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-285-1081

**Body Style:** 

Straight shape

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

"b, 17w2" single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

10.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

200.0 single mating end single contact grouping

**Contact Maximum Dc Voltage Rating In Volts:** 

250.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Terminal Type:** 

Solder well single mating end single contact grouping

**Shell Material:** 

Steel

**Shell Surface Treatment:** 

Cadmium and chromate

**Included Contact Quantity:** 

17 single mating end single contact grouping

**Included Contact Type:** 

Round pin single mating end single contact grouping

**Special Features:** 

With reverse float mount

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material:** 

Gold

## NSN 5935-01-285-1081

Electrical Receptacle Connector - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0