# NSN 5935-01-285-9887

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-285-9887

**Body Style:** Angle, shape, internal coupling **Overall Length:** 1.188 inches **Overall Height:** 0.750 inches **Overall Diameter:** 0.406 inches **Environmental Protection:** Shock resistant and vibration resistant and moisture resistant **Cable Entrance Diameter:** Between 0.080 inches and 0.086 inches **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 140.0 and 280.0 Shell Type: Solid **Connector Locking Method:** Bayonet latch **Connector Cable Strain Relief Method:** Cable clamp **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, ty ii, cl 1 military specification 1st treatment response single mating end single contact grouping and qq-s-365 federal specification 2nd treatment response single mating end single contact grouping **Terminal Type:** Crimp single mating end single contact grouping **Contact Material Specification:** 

Qq-b-626 federal specification single material response single mating end single contact grouping

Copper alloy

**Shell Material:** 

# NSN 5935-01-285-9887

Electrical Plug Connector - Page 2 of 2



Shell	Surfa	Ce Tr	eatm	ent.
SHEH	Julia		caum	CIII.

Silver and gold

## **Shell Surface Treatment Specification:**

Qq-s-365 federal specification 1st treatment response and mil-g-45204, ty ii, cl 1 military specification 2nd treatment response

## **Shell Material Specification:**

Qq-b-626 federal specification single material response

## **Included Contact Quantity:**

1 single mating end single contact grouping

#### **Included Contact Type:**

Coaxial pin single mating end single contact grouping

#### **Precious Material And Location:**

Contact and shell surfaces gold and contact shell surfaces silver

#### **Precious Material And Weight:**

0.105 gold grains, troy and 0.105 silver grains, troy

#### **Precious Material:**

Gold and silver

# Shelf Life:

N/a

**Unit Of Measure:** 

#### Demilitarization:

No

# Fiig:

A039b0

#### Mil-std (military Standard):

Mil-g-45204 spec.