Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-288-0153

Body Style:
Straight shape
Overall Length:
1.219 inches
Overall Height:
Between 3.095 inches and 3.125 inches
Overall Width:
Between 1.985 inches and 2.015 inches
Unthreaded Mounting Hole Diameter:
Between 0.118 inches and 0.122 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 2.778 inches and 2.788 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.432 inches and 1.442 inches
Distance From Mounting Shoulder To Front Face:
0.250 inches
Mating End Quantity:
2
Contact Removability:
Removable all mating ends all contact groupings
Polarization Method:
Guide pin/socket
Shell Type:
Solid
Connector Locking Method:
Friction
End Application:
4920-01-079-4034 inertial test rack, inertial navigation system
Terminal Location:
Back all mating ends all contact groupings
Contact Material:
Copper alloy all mating ends all contact groupings
Contact Surface Treatment:
Gold single mating end single contact grouping and nickel single mating end single contact grouping and copper single mating end single
contact grouping
Insert Material:
Plastic diallyl phthalate all mating ends and glass fiber all mating ends
Contact Surface Treatment Specification:
Mil-g-45204 military specification 1st treatment response all mating ends all contact groupings
Terminal Type:

Crimp all mating ends all contact groupings

Guide Design And Location:

Hexagon shape male post left-hand at 12 oclock and hexagon shape male post center at 12 oclock and hexagon shape male post

right-hand at 12 oclock



Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium and chromate Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification all treatment responses Shell Material Specification:
Shell Surface Treatment: Cadmium and chromate Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification all treatment responses
Cadmium and chromate Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification all treatment responses
Shell Surface Treatment Specification: Qq-p-416, type 2, cl 2 federal specification all treatment responses
Qq-p-416, type 2, cl 2 federal specification all treatment responses
Shell Material Specification:
-
Qq-a-591, comp 10 federal specification single material response
Insert Material Specification:
Mil-m-19833, type gdi-30f or ty sdg-30f military specification all material responses all mating ends
Included Contact Quantity:
64 2nd mating end 2nd contact grouping
Included Contact Type:
Round socket all mating ends all contact groupings
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.134 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.