## NSN 5935-01-288-5636

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-288-5636

**Body Style:** 

Straight shape

**Overall Length:** 

Between 2.620 inches and 2.650 inches

**Overall Height:** 

0.701 inches

Overall Width:

Between 0.590 inches and 0.620 inches

**Environmental Protection:** 

Moisture resistant and vibration resistant and shock resistant and corrosion resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.125 inches

**Distance Between Mounting Facility Centers:** 

Between 2.401 inches and 2.411 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

36w4 single mating end

**Contact Removability:** 

Removable single mating end 1st contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end 1st contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Back single mating end 1st contact grouping

**Contact Material:** 

Copper alloy single mating end 1st contact grouping

**Contact Surface Treatment:** 

Nickel single mating end 1st contact grouping and gold single mating end 1st contact grouping

**Insert Material:** 

Glass fiber single mating end and plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Qq-n-290 federal specification 1st treatment response single mating end 1st contact grouping and mil-g-45204 military specification 2nd treatment response single mating end 1st contact grouping

**Terminal Type:** 

Pin single mating end 1st contact grouping

**Shell Material:** 

Steel

## NSN 5935-01-288-5636

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 2 federal specification single treatment response
Insert Material Specification:
Mil-m-14, ty gdi-30 or ty sdg-f military specification all material responses single mating end
Included Contact Quantity:
32 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end 1st contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.032 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0