

View Online at <https://aerobasegroup.com/nsn/5935-01-289-2079>

Body Material:

Any acceptable

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Top mount w/studs

Overall Length:

Between 1.469 inches and 1.499 inches

Overall Height:

Between 0.589 inches and 0.599 inches

Overall Width:

Between 0.391 inches and 0.421 inches

Mounting Slot Width:

Between 0.123 inches and 0.131 inches

Body Mounting Hole Accommodation Length:

0.875 inches

Body Mounting Hole Accommodation Width:

0.469 inches

Distance Between Mounting Facility Centers:

1.344 inches

Mounting Hole Style:

Rectangular, w/external slots

Contact Maximum Current Rating In Amps:

3.0

Contact Material:

Any acceptable

Contact Surface Treatment:

Gold and silver

Accommodated Contact Quantity:

8

Polarization Type:

Center key hole

Projection Length Below Mounting Surface:

Between 0.235 inches and 0.265 inches

Mounting Method:

Threaded stud

Mounting Type For Which Designed:

Chassis

Thready Qty Per Inch (tpi):

56

Thread Size:

0.086 inches

Contact Position Arrangement Style:

Dual in line

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.008 gold grains, troy and 0.008 silver grains, troy

Precious Material:

Gold and silver

Thread Series Designator:

Unc

Terminal Type And Quantity:

8 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A02300