NSN 5935-01-289-2102

Electrical Connector Backshell - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5935-01-289-2102 |
|--|
| Thread Class: |
| 2b |
| Thread Direction: |
| Right-hand |
| Overall Length: |
| Between 1.188 inches and 1.218 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| Between 0.979 inches and 0.989 inches |
| Overall Height: |
| Between 0.688 inches and 0.748 inches |
| Overall Width: |
| Between 0.689 inches and 0.809 inches |
| Body Width: |
| Between 0.407 inches and 0.467 inches |
| End Application: |
| 1430-01-134-6655 targeting station |
| Cable Opening Diameter: |
| Between 0.099 inches and 0.119 inches |
| Cable Opening Quantity: |
| 1 |
| Mounting Facility Type And Quantity: |
| 2 threaded hole |
| Thready Qty Per Inch (tpi): |
| 40 |
| Thread Size: |
| 0.112 inches |
| Material: |
| Stainless steel |
| Surface Treatment: |
| Chromate and cadmium or zinc |
| Style Designator: |
| Hood, right angle type |
| Surface Treatment: |
| Chromate and cadmium or zinc plated |
| Test Data Document: |
| 81349-mil-c-85049 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Thread Series Designator: |
| Unc |
| Specification Data: |
| 81349-mil-c-85049/50 government specification |

N/a

Shelf Life:

NSN 5935-01-289-2102

Electrical Connector Backshell - Page 2 of 2



| | • • | | | | |
|----|-----|-------------|-----|-----|------|
| In | 18 | <i>(</i>)+ | МЛО | 201 | ure: |
| | | | | | |

--

Demilitarization:

No

Fiig:

A10100