## NSN 5935-01-289-7361

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-289-7361

**Body Style:** 

Straight shape spring mount

**Overall Length:** 

Between 1.031 inches and 1.093 inches

Overall Diameter:

Between 1.501 inches and 1.531 inches

**Environmental Protection:** 

Moisture proof and salt water resistant and shock proof and vibration proof

**Mating End Quantity:** 

**Contact Position Arrangement Style:** 

27-30 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0

Solid

Shell Type:

**Connector Locking Method:** 

Snap ring

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic phenolic single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, ty ii, grade c, cl 1 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Aluminum alloy

**Shell Surface Treatment:** 

Cadmium and chromate

**Shell Surface Treatment Specification:** 

Qq-p-416, type ii, cl 3 federal specification all treatment responses

# NSN 5935-01-289-7361

Electrical Receptacle Connector - Page 2 of 2



### **Shell Material Specification:**

Qq-a-591 federal specification single material response

#### **Insert Material Specification:**

Mil-m-14, type mfh military specification single material response single mating end

#### **Included Contact Quantity:**

91 single mating end single contact grouping

#### **Bushing Accommodation Hole Shape:**

Round

#### **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.091 gold grains, troy

#### **Precious Material:**

Gold

#### Shelf Life:

N/a

#### **Unit Of Measure:**

--

#### Demilitarization:

No

## Fiig:

A039b0

#### Mil-std (military Standard):

Mil-g-45204 spec.