## NSN 5935-01-290-6983

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-290-6983

Body Style:
Straight shape
Overall Length:
2.088 inches
Overall Height:
0.663 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
0.086 inches
Distance Between Mounting Facility Centers:
1.852 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
5 single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end 1st contact grouping
Contact Material:
Copper alloy single mating end 1st contact grouping
Contact Surface Treatment:
Gold single mating end 1st contact grouping and copper single mating end 1st contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Criticality Code Justification:
Feat
Terminal Type:
Tomman Type.
Solder well single mating end 1st contact grouping
Solder well single mating end 1st contact grouping
Solder well single mating end 1st contact grouping  Shell Material:

Insert Material Specification:

Mil-m-14, type gdi-30f or type sdg-f military specification single material response single mating end

## NSN 5935-01-290-6983

Electrical Receptacle Connector - Page 2 of 2



## **Included Contact Quantity:** 5 single mating end 1st contact grouping **Included Contact Type:** Round pin single mating end 1st contact grouping **Special Features:** Floating bushing **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.025 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** Demilitarization:

A039b0

No **Fiig:** 

Mil-std (military Standard):

Mil-m-14 spec.