## NSN 5935-01-291-0704

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-291-0704 **Body Material:** Plastic **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Bottom mount w/molded saddle **Fabrication Method:** Molded **Overall Length:** 1.570 inches **Overall Height:** 0.688 inches **Overall Width:** 0.730 inches **Mounting Hole Diameter:** Between 0.211 inches and 0.219 inches **Distance Between Mounting Facility Centers:** Between 1.177 inches and 1.197 inches **Mounting Hole Style:** Two mounting holes/slots, in-line **Contact Maximum Current Rating In Amps:** 10.0 **Contact Material:** Beryllium copper **Contact Surface Treatment:** Gold **Accommodated Contact Quantity:** 2 **Printed Circuit Board Hole Arrangement Style:** Two hole select style designation by dimension "a" value 0.430 inch **Projection Length Above Mounting Surface:** Between 0.025 inches and 0.031 inches **Mounting Method:** Threaded hole **Mounting Type For Which Designed:** Chassis Thready Qty Per Inch (tpi):

32
Thread Size:
0.138 inches

## NSN 5935-01-291-0704

Plug-in Electronic Components Socket - Page 2 of 2



<b>Contact Position Arrangement Style:</b>
In line
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.002 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: