NSN 5935-01-292-0406

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-292-0406

Body Style:

Straight shape

Overall Length:

Between 1.193 inches and 1.207 inches

Overall Height:

Between 0.550 inches and 0.570 inches

Overall Width:

Between 0.236 inches and 0.248 inches

Environmental Protection:

Heat resistant and cold resistant

Mating End Quantity:

1

Contact Position Arrangement Style:

2 rows of contacts non-inserted board single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

2.5 single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

250.0 single mating end single contact grouping

Polarization Method:

Polarization wall

Connector Locking Method:

Friction

Operating Tempurature Rating:

Between -40.0 degrees celsius and 105.0 degrees celsius

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Tin single mating end single contact grouping

Insert Material:

Plastic polyamide single mating end

Terminal Type:

Pin single mating end single contact grouping

Included Contact Quantity:

12 single mating end single contact grouping

Included Contact Type:

Square pin single mating end single contact grouping

Specification Data:

34860-60514178 manufacturers specification control

NSN 5935-01-292-0406

Electrical Receptacle Connector - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0