NSN 5935-01-292-8148

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-292-8148 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape **Overall Length:** 0.690 inches **Overall Height:** 0.630 inches **Overall Width:** 0.190 inches **Distance Between Mounting Facility Centers:** 0.468 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 5 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Jackscrew **Connector Locking Method:** Jackscrew **End Application:** Ea-6b prowler aircraft. Thready Qty Per Inch (tpi): 56 and 56 **Thread Size:** 0.086 inches and 0.086 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Criticality Code Justification:**

Feat

NSN 5935-01-292-8148

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end single contact grouping
Unable To Decode:
Unable to decode and unable to decode
Included Contact Quantity:
5 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Weapon system essential
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.025 gold grains, troy and 0.025 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc and unc
Specification Data:
00752-363372 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A039b0