## NSN 5935-01-292-9125

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-292-9125 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 1.294 inches **Overall Diameter:** 1.954 inches **Environmental Protection:** Vibration resistant and shock resistant and corrosion resistant and heat resistant and cold resistant **Distance From Mounting Shoulder To Front Face:** Between 0.941 inches and 1.129 inches **Mounting Facility Thickness:** Between 0.062 inches and 0.250 inches **Threaded Device Type:** Mounting bushing **Mating End Quantity: Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 34.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin Thready Qty Per Inch (tpi): 18 **Thread Size:** 1.375 inches **Shell Material:** Aluminum alloy **Shell Surface Treatment:** 

Cadmium and chromate

**Shell Surface Treatment Specification:** 

Qq-p-416, type ii, class 3 federal specification all treatment responses

**Shell Material Specification:** 

Qq-a-591 federal specification single material response

**Bushing Accommodation Hole Shape:** 

Round w/flat

## NSN 5935-01-292-9125

Electrical Receptacle Connector Body - Page 2 of 2



Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0