NSN 5935-01-293-0047

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-293-0047

view Offilite at https://defobasegroup.com/nsi//0900-01-290-0047
Body Style:
Straight type
Overall Length:
13.3 millimeters
Overall Width:
5.5 millimeters
Body Height:
5.2 millimeters
Environmental Protection:
Vibration resistant and shock resistant and corrosion resistant and salt water resistant
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
2.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
120.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
360.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Metal single mating end single contact grouping
Contact Surface Treatment:
Tin single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Included Contact Quantity:
10 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Test Data Document:
U0913-bs 9525 standard (includes industry or association standards, individual manufactureer standards, etc.).
Specification Data:

opcomodion bata.

U0913-bs 9525 f0033 government standard

NSN 5935-01-293-0047

Electrical Receptacle Connector - Page 2 of 2



Shelf	Lite:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0