Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-293-3995

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.111 inches
Overall Height:
Between 1.026 inches and 1.036 inches
Overall Width:
Between 1.026 inches and 1.036 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 0.807 inches and 0.817 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 0.807 inches and 0.817 inches
Distance From Mounting Shoulder To Front Face:
0.781 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
3-dec single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
20
Thread Size:
0.875 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Iron alloy single mating end single contact grouping



Contact Surface Treatment:

Tin single mating end single contact grouping and copper single mating end single contact grouping and nickel single mating end single contact grouping

Terminal Type:

Wire loop single mating end single contact grouping

Shell Material:

Stainless steel

Shell Surface Treatment:

Passivate

Included Contact Quantity:

3 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0