## NSN 5935-01-293-7514

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-293-7514

**Body Style:** 

Right angle type

**Overall Length:** 

8.1 millimeters

**Body Height:** 

5.6 millimeters

**Environmental Protection:** 

Shock resistant and vibration resistant and corrosion resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

1 row of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Polarization Method:** 

Mating end

**Connector Locking Method:** 

Latch

**Terminal Location:** 

Side single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification single treatment response single mating end single contact grouping

**Terminal Type:** 

Pin single mating end single contact grouping

**Included Contact Quantity:** 

2 single mating end single contact grouping

**Included Contact Type:** 

Round pin single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.010 gold grains, troy

**Precious Material:** 

Gold

**Test Data Document:** 

U0913-9525 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Specification Data:** 

U0913-9525 f0033 government standard

## NSN 5935-01-293-7514

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-g-45204 spec.