## NSN 5935-01-296-2909



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-296-2909 **Body Style:** Straight shape, external coupling **Overall Length:** 1.232 inches **Overall Height:** 1.360 inches **Overall Width:** 1.360 inches **Environmental Protection:** Corrosion resistant and salt water resistant and vibration resistant and solvent resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.906 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.906 inches **Distance From Mounting Shoulder To Front Face:** 0.462 inches **Mating End Quantity: Contact Position Arrangement Style:** 12-oct single mating end **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Insert Material:** Plastic diallyl phthalate single mating end and glass fiber single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Cadmium **Insert Material Specification:** 

### insert material specification.

Mil-m-14, ty sdg-f military specification all material responses single mating end or mil-p-19833, ty gdi-30f military specification all material responses single mating end

## Special Features:

14-92 insert arrangement

### Shelf Life:

N/a

# NSN 5935-01-296-2909

Electrical Receptacle Connector Body - Page 2 of 2



Unit Of Measure:	U	In	it	Of	Measure:
------------------	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.