## NSN 5935-01-296-3518

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-296-3518

**Body Style:** 

Straight type

**Overall Length:** 

Between 0.582 inches and 0.598 inches

**Overall Width:** 

Between 0.278 inches and 0.298 inches

**Body Height:** 

Between 0.240 inches and 0.250 inches

**Environmental Protection:** 

Thermal shock resistant and humidity resistant and shock resistant and vibration resistant and corrosion resistant

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

3.0 single mating end single contact grouping

**Connector Locking Method:** 

Friction

**End Application:** 

5820-01-261-6618 radio set

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

**Insert Material:** 

Glass fiber single mating end and plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204 military specification 1st treatment response single mating end single contact grouping and qq-n-290 federal specification 2nd treatment response single mating end single contact grouping

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-553 federal specification single material response single mating end single contact grouping

**Insert Material Specification:** 

Mil-m-14 military specification all material responses single mating end

**Included Contact Quantity:** 

8 single mating end single contact grouping

**Included Contact Type:** 

Square socket single mating end single contact grouping

## NSN 5935-01-296-3518

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
<b>Precious Material And Weight:</b>
0.008 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.