NSN 5935-01-298-4347

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-298-4347 **Body Style:** Straight shape **Overall Length:** 1.266 inches **Overall Height:** 1.125 inches **Overall Width:** 2.312 inches **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.125 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.745 inches and 0.755 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 2.057 inches and 2.067 inches **Distance From Mounting Shoulder To Front Face:** 0.485 inches **Mating End Quantity: Contact Position Arrangement Style:** 7 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Friction **End Application:** 4935-00-930-7250 test station, guided **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Rubber single mating end

Shell Material:

Terminal Type:

Solder well single mating end single contact grouping

Aluminum

NSN 5935-01-298-4347

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment: Cadmium and chromate **Shell Surface Treatment Specification:** Qq-p-416, ty ii, cl 3 federal specification all treatment responses **Included Contact Quantity:** 7 single mating end single contact grouping **Included Contact Type:** Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.007 gold grains, troy and 0.007 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Fiig:

No

A039b0