## NSN 5935-01-300-0394

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-300-0394

**Body Style:** 

Right angle type

**Overall Length:** 

Between 3.945 inches and 3.955 inches

**Overall Height:** 

Between 0.420 inches and 0.430 inches

**Overall Width:** 

Between 0.765 inches and 0.775 inches

**Environmental Protection:** 

Shock resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.091 inches and 0.098 inches

**Distance Between Mounting Facility Centers:** 

Between 3.695 inches and 3.705 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

3.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

300.0 single mating end single contact grouping

**Polarization Method:** 

Guide pin/socket

Shell Type:

Solid

**Connector Locking Method:** 

Friction

**Terminal Location:** 

Side single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate glass filled single mating end

**Terminal Type:** 

Pin single mating end single contact grouping

**Guide Design And Location:** 

D shape pin left-hand at 3 oclock and d shape pin right-hand at 3 oclock

## NSN 5935-01-300-0394

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Mil-c-26074, class 3 military specification single treatment response
Insert Material Specification:
Mil-m-14, ty sdg-f military specification single material response single mating end
Included Contact Quantity:
128 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.128 gold grains, troy
Precious Material:
Gold
Specification Data:
26916-010-006690 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-m-14 spec.