Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-301-6840

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Single card
Overall Length:
Between 3.646 inches and 3.666 inches
Overall Height:
1.350 inches
Overall Width:
0.375 inches
Environmental Protection:
Cold resistant and heat resistant
Distance Between Mounting Facility Centers:
Between 3.398 inches and 3.414 inches
Board Accommodated Length:
2.966 inches single board and 2.978 inches single board
Threaded Device Type:
Mounting hole
Board Accommodated Width:
Between 0.072 inches and 0.075 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of independent contacts inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Connector Locking Method:
Friction
Operating Tempurature Rating:
Between -65.0 degrees celsius and 125.0 degrees celsius
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping



Electrical Receptacle Connector - Page 2 of 2 **Contact Surface Treatment:** Gold single mating end single contact grouping and copper alloy single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification 1st treatment response single mating end single contact grouping **Terminal Type:** Wire wrap single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Included Contact Quantity:** 36 single mating end single contact grouping **Included Contact Type:** Bifurcated accordian leaf spring single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.036 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.