

View Online at <https://aerobasegroup.com/nsn/5935-01-304-4343>

Body Style:

Straight shape

Overall Length:

Between 0.949 inches and 0.959 inches

Overall Height:

Between 3.105 inches and 3.115 inches

Overall Width:

Between 1.995 inches and 2.005 inches

Environmental Protection:

Humidity resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant

Unthreaded Mounting Hole Diameter:

Between 0.115 inches and 0.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 2.779 inches and 2.787 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.428 inches and 1.444 inches

Distance From Mounting Shoulder To Front Face:

Between 0.761 inches and 0.771 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

"106, a106" all mating ends

Contact Removability:

Removable all mating ends single contact grouping

Polarization Method:

3 polarization posts

Shell Type:

Solid

Connector Locking Method:

Friction

Operating Temperature Rating:

Between -65.0 degrees celsius and 125.0 degrees celsius

Terminal Location:

Back all mating ends single contact grouping

Contact Material:

Copper alloy all mating ends single contact grouping

Contact Surface Treatment:

Gold all mating ends single contact grouping

Insert Material:

Plastic all mating ends

Contact Surface Treatment Specification:

Mil-g-45204, type 1, grade c, class 1 military specification all treatment responses all mating ends single contact grouping

Crimping Tool Identifying Number:

81349-m22520/2-01

Terminal Type:

Crimp single mating end single contact grouping

Guide Design And Location:

Hexagon shape male post right-hand at 12 oclock and hexagon shape male post center at 12 oclock and hexagon shape male post left-hand at 12 oclock

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification all treatment responses

Included Contact Quantity:

106 all mating ends single contact grouping

Included Contact Type:

Round pin all mating ends single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.212 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.