NSN 5935-01-304-8762

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-304-8762 **Body Style:** Straight shape, w/ or w/o cover **Overall Length:** 95.25 millimeters Center To Center Distance Between Mounting Facilities Parallel To Length: 79.4 millimeters **Overall Height:** 151.5 millimeters **Overall Width:** 108.4 millimeters **Environmental Protection:** Heat resistant and fire resistant and moisture resistant and cold resistant and watertight **Unthreaded Mounting Hole Diameter:** 5.5 millimeters Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 79.4 millimeters **Mating End Quantity: Contact Position Arrangement Style:** 4 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 30.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 250.0 single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: **Connector Locking Method:** Lock tab

Operating Tempurature Rating:

Between -40.0 degrees celsius and 80.0 degrees celsius

Features Provided:

Grounded contact

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

NSN 5935-01-304-8762

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Plastic polyester single mating end
Terminal Type:
Compression single mating end all contact groupings
Shell Material:
Plastic polyamide
Included Contact Quantity:
3 single mating end 2nd contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Special Features:
Furnished items - hinged cover plate
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0