Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-305-7177

# Body Style:

Hood, top opening w/clamp

## **Overall Length:**

1.562 inches

# **Overall Height:**

1.306 inches

# **Overall Width:**

0.500 inches

### Cable Entrance Diameter:

Between 0.375 inches and 0.656 inches

## Mating End Quantity:

1

# **Contact Position Arrangement Style:**

20 20-20 single mating end

### **Contact Removability:**

Nonremovable single mating end single contact grouping

# **Contact Maximum Current Rating In Amps:**

7.5 single mating end single contact grouping

# **Polarization Method:**

Guide pin/socket

### Shell Type:

Hood, top opening

### **Connector Locking Method:**

Friction

### Connector Cable Strain Relief Method:

Cable clamp

### **Terminal Location:**

Back single mating end single contact grouping

### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold single mating end single contact grouping

### **Insert Material:**

Plastic diallyl phthalate single mating end

### **Contact Surface Treatment Specification:**

Mil-g-45204 military specification single treatment response single mating end single contact grouping

# **Terminal Type:**

Solder well single mating end single contact grouping

# Shell Material:

Aluminum alloy

### Shell Surface Treatment:

Anodize

NSN 5935-01-305-7177

Electrical Plug Connector - Page 2 of 2



Unable To Decode: Unable to decode and unable to decode Included Contact Quantity: 20 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.020 gold grains, troy **Precious Material:** Gold Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.