NSN 5935-01-306-4465



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-306-4465 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, rectangular **Overall Height:** Between 1.853 inches and 1.867 inches **Overall Width:** Between 2.868 inches and 2.882 inches **Environmental Protection:** Thermal shock resistant and salt water resistant and vibration resistant and humidity resistant and shock resistant and corrosion resistant **Unthreaded Mounting Hole Diameter:** Between 0.144 inches and 0.154 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.812 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.500 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Polarization Method:** Polarization boss **Connector Locking Method:** Jackscrew

Thready Qty Per Inch (tpi):

28

Thread Size:

0.250 inches

Insert Material:

Plastic diallyl phthalate glass filled single mating end

Insert Material Specification:

Mil-m-14, ty sdq-f military specification single material response single mating end

Test Data Document:

81349-mil-c-85028 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unf

Specification Data:

81349-mil-c-85028/2 government specification

Shelf Life:

N/a

NSN 5935-01-306-4465

Electrical Receptacle Connector Body - Page 2 of 2



Unit Of Measure	U	nit	Of	Meas	ure	:
-----------------	---	-----	----	------	-----	---

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.