NSN 5935-01-306-7005

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-306-7005

Body Style: Straight shape **Overall Length:** 2.635 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 2.406 inches **Overall Height:** 0.555 inches **Environmental Protection:** Fuel resistant and fungus resistant and salt water resistant **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.125 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.484 inches **Mating End Quantity: Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping Shell Type: Split **End Application:** Imu, singer **Contact Material:** Beryllium single mating end single contact grouping and copper single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end single contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Shell Material:** Steel **Shell Surface Treatment:** Cadmium **Shell Surface Treatment Specification:** Qq-p-416 federal specification single treatment response **Shell Material Specification:** Qq-s-698 federal specification single material response **Included Contact Quantity:** 16 single mating end single contact grouping

Supplementary Features:

Mounting method - screw

NSN 5935-01-306-7005

Electrical Receptacle Connector - Page 2 of 2



N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A039b0	

Mil-std (military Standard):

Mil-g-45204 spec.

Shelf Life: