Electrical Connector Cover - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-306-8834

|          | Class:   |
|----------|--|
| 2b       |  |
| Thread   | Direction:   |
| Right-ha | and  |
| Eye Ins  | ide Diameter:  |
| Betweer  | n 4.11 millimeters and 4.49 millimeters  |
| Seal Ma  | iterial:   |
| Rubber,  | silicone base  |
| Furnish  | ed Items:  |
| Wire rop | be   |
| Body H   | eight:   |
| 23.0 mil | limeters   |
| Overall  | Diameter:  |
| 31.0 mil | limeters   |
| Attachn  | nent Feature Length:   |
| Betweer  | n 120.0 millimeters and 140.0 millimeters  |
| Seal Ty  | pe:  |
| Gasket   |  |
| Size De  | signation:   |
| 13       |  |
| Mountin  | ng Facility Type And Quantity:   |
| 1 thread | led coupling   |
| Thready  | y Qty Per Inch (tpi):  |
| 10       |  |
| Thread   | Size:  |
| 0.875 in | ches   |
| Materia  | l:   |
| Aluminu  | m alloy  |
| Materia  | l:   |
| Aluminu  | m alloy  |
| Surface  | Treatment:   |
| Anodize  |  |
| Style D  | esignator:   |
| Internal | thread w/chain or rope   |
| Surface  | Treatment:   |
| Anodize  | d  |
| Test Da  | ta Document:   |
| 81349-d  | lod-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format;  | excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain            |
| environr | nental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                             |
| Thread   | Series Designator:   |
| Double   | stub   |
| Specific | cation Data:   |
| -        | lod-c-38999/33 government specification  |

## NSN 5935-01-306-8834

Electrical Connector Cover - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A10100

