Electrical Receptacle Connector - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5935-01-311-6749

# Cable Entrance Diameter:

Between 0.184 inches and 0.216 inches

## Mating End Quantity:

1

## **Contact Position Arrangement Style:**

Nonstd single mating end

## **Contact Removability:**

Nonremovable single mating end single contact grouping

## **Contact Maximum Frequency Rating:**

7.5 gigahertz single mating end single contact grouping

#### Shell Type:

Solid

Connector Locking Method:

Push-pull

**Connector Cable Strain Relief Method:** 

Crimp type

## Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper alloy single mating end single contact grouping

## **Insert Material:**

Plastic polystyrene single mating end

**Terminal Type:** 

Crimp single mating end single contact grouping

#### Shell Material:

Copper alloy

Included Contact Quantity:

1 single mating end single contact grouping

## Included Contact Type:

Coaxial socket single mating end single contact grouping

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A039b0