## NSN 5935-01-313-0990

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-313-0990

**Body Style:** Single card **Overall Length:** 2.410 inches **Overall Height:** 0.660 inches **Overall Width:** Between 0.323 inches and 0.338 inches **Environmental Protection:** Humidity resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** Between 0.120 inches and 0.130 inches **Distance Between Mounting Facility Centers:** Between 2.154 inches and 2.174 inches **Board Accommodated Length:** 1.713 inches single board and 1.733 inches single board **Board Accommodated Width:** Between 0.054 inches and 0.071 inches **Mating End Quantity: Contact Position Arrangement Style:** Bridged contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Contact **Connector Locking Method:** Friction **Operating Tempurature Rating:** Between -55.0 degrees celsius and 85.0 degrees celsius **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** 

Plastic diallyl phthalate single mating end

## **Contact Surface Treatment Specification:**

Mil-g-45204, type 1 military specification single treatment response single mating end single contact grouping

## NSN 5935-01-313-0990

Electrical Receptacle Connector - Page 2 of 2



Criticality Code Justification:
Feat
Terminal Type:
Tab, solder lug single mating end single contact grouping
Insert Material Specification:
Mil-m-19833, ty gdi-30 military specification single material response single mating end
Included Contact Quantity:
10 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping
Special Features:
Contact polarizing position h
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.010 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-g-45204 spec.