Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-313-3907

# Body Style:

Straight shape, pc type

# Overall Length:

Between 3.360 inches and 3.390 inches

# **Overall Height:**

0.569 inches

### **Overall Width:**

0.330 inches

#### **Environmental Protection:**

Cold resistant and heat resistant

### **Unthreaded Mounting Hole Diameter:**

### 0.125 inches

Distance Between Mounting Facility Centers:

Between 3.070 inches and 3.080 inches

### **Board Accommodated Length:**

2.758 inches single board and 2.778 inches single board

### **Board Accommodated Width:**

Between 0.054 inches and 0.071 inches

### Mating End Quantity:

1

### Contact Position Arrangement Style:

2 rows of independent contacts inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

### **Contact Maximum Current Rating In Amps:**

3.0 single mating end single contact grouping

### Contact Maximum Dc Voltage Rating In Volts:

600.0 single mating end single contact grouping

### **Connector Locking Method:**

Friction

### **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 125.0 degrees celsius

### **Terminal Location:**

Back single mating end single contact grouping

### **Contact Material:**

Copper alloy single mating end single contact grouping

### **Contact Surface Treatment:**

Gold single mating end single contact grouping and nickel single mating end single contact grouping

### **Insert Material:**

Plastic diallyl phthalate glass filled single mating end

# Contact Surface Treatment Specification:

Mil-g-45204, type 2, grade c military specification 1st treatment response single mating end single contact grouping



| Terminal Type:   |
|--|
| Printed circuit single mating end single contact grouping                  |
| Insert Material Specification:   |
| Mil-m-14 military specification single material response single mating end |
| Included Contact Quantity:   |
| 50 single mating end single contact grouping                               |
| Included Contact Type:   |
| Bifurcated accordian leaf spring single mating end single contact grouping |
| Precious Material And Location:  |
| Contact surfaces gold  |
| Precious Material And Weight:  |
| 0.050 gold grains, troy  |
| Precious Material:   |
| Gold   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A039b0   |
| Mil-std (military Standard):   |
| Mil-g-45204 spec.  |
|  |