Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-317-0512

Thread Class:
2a
Thread Direction:
Right-hand
Overall Length:
0.999 inches
Overall Width:
0.312 inches
Threaded Device Type:
Mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Friction
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping
Thready Qty Per Inch (tpi):
32
Thread Size:
0.190 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Gold
Included Contact Quantity:
1 single mating end single contact grouping

## NSN 5935-01-317-0512

Electrical Receptacle Connector - Page 2 of 2



## Bushing Accommodation Hole Shape: Round Included Contact Type: Coaxial socket single mating end single contact grouping Precious Material And Location: Contact and body surfaces gold Precious Material And Weight: 0.105 gold grains, troy Precious Material: Gold Thread Series Designator: Unf

Specification Data: 28480-1250-1781 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0